

Toxicology of Agricultural Pesticides

Ron Kirschner, MD
Medical Director
Nebraska Regional Poison Center
Assistant Professor
Department of Emergency Medicine
University of Nebraska Medical Center



Learning Objectives

- **1.** Discuss acute & chronic health effects of pesticide exposure
- **2.** Prioritize the major categories of pesticides based on their acute toxicities
- **3.** Review cholinesterase testing in the diagnosis and prevention of organophosphate toxicity

Definition - EPA

“...a pesticide is any substance or mixture of substances intended for preventing, destroying, repelling, or mitigating any pest”

“...a pest is any harmful, destructive, or troublesome animal, plant or microorganism”

US Environmental Protection Agency (EPA)

Classes of Pesticides

- Insecticides (kill insects)
 - Organochlorines
 - Organophosphates
 - Carbamates
 - Pyrethrins/pyrethroids
 - Neonicotinoids
- Herbicides (kill plants)
- Rodenticides (kill rodents)
- Fungicides (kill fungus)
- Fumigants (kill whatever)

2022 Nebraska Regional Poison Center Pesticide Exposure Calls

Class	Number	Percent
Insecticide	647	60.5
Herbicide	191	17.9
Rodenticide	127	11.9
Repellant	75	7.0
Fungicide	21	2.0
Fumigant	8	0.7
Total	1069	100.0

Insecticides accounted for 60.5% of pesticide calls to NRPC in 2022

2022 Nebraska Regional Poison Center Insecticide Exposure Calls

Class	Number	Percent
Pyrethroid	285	44.0
Pyrethrin	45	7.0
Organophosphate	27	4.2
Carbamate	19	2.9
Borate	104	16.1
Other	103	15.9
Unknown	64	9.9
Total	647	100.0

51% of insecticide calls were for pyrethrins and pyrethroids
More toxic OPs and carbamates accounted for just 7.1%

Case 1

- 39-year-old man was spraying insecticide on his employer's property (not his regular job)
- Diluted diazinon 4 oz into 1 gallon
 - Sprayed x 2.5 h with break for lunch
 - Used leather work gloves
 - No other PPE; wore shorts & T-shirt
- Became dizzy with N/V, diarrhea, blurred vision, muscles spasms, diaphoresis
- A friend drove him home
- Symptoms didn't improve with shower



Adverse Effects of Pesticide Use

- Contamination of air, water, food supply
- Proliferation of resistant species
- Injury to non-target species
- Injury to humans
 - Pesticide handlers, applicators
 - Agricultural communities
 - General public
 - Children may be more vulnerable
- Acute poisoning better characterized than effects of chronic exposure

Early Pesticide History

- 1600s - Strychnine extracted from S. Asian plant and used to kill rodents
- Late 1600s - Nicotine extracted from tobacco leaves and sprayed on plants as insecticide
- 1800s - Pyrethrum extracted from chrysanthemum as an insecticide

Strychnos nuxvomica plant



Nicotiana tabacum

Pesticides in Recent History

- Organophosphate (OP) insecticides and nerve agents developed in Germany, 1930s
- After WW II, OPs & DDT introduced into agriculture
- Other organochlorines came then into use, phased out in 1950s
- Organophosphate use declined in 1980s
- Pyrethroids in the 60's became increasingly important
- Pheromones, chitin inhibitors, neonicotinoids and others came into use 1980s - 2000s

Recent history (cont'd)

▶ In 1940s and 50s, synthetic pesticides were widely regarded as beneficial and harmless



1940s
advertisement
Taylor,
Southern
Regional
Extension
Forestry,
March 2007

Silent Spring (1962) warned of the ecologic threat from persistent organochlorine insecticides



Rachel Carson, 1907-1964




Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA)


1947, with updates 1972, 1975, 1975, 1988, 1996, and 2012 - Pesticides classified as general use or restricted use (by licensed or certified applicators)

Insecticides: Organochlorines

- ▶ DDT and analogues
- ▶ Introduced during WW II, effective against malaria-carrying mosquitoes and crop pests
 - ▶ Neuroexcitation via Na channels
 - ▶ Long persistence in environment (and body)
 - ▶ Concentrated up food chain
 - ▶ Banned in US 1972
 - ▶ Lindane still available for ectoparasites
 - ▶ DDT still used in developing world




p,p' Dichlorodiphenyltrichloroethane



Insecticides: Cholinesterase Inhibitors

- ▶ Inhibit breakdown of neurotransmitter acetylcholine
- ▶ Some are highly toxic but less persistent in environment than organochlorines
- ▶ Organophosphates (aka organic phosphorus compounds)
 - ▶ Irreversible inhibitors
 - ▶ Leading cause of poisoning fatality worldwide (mainly in developing world) estimated at 100,000 annually (1)
- ▶ Carbamates
 - ▶ Reversible


Acetylcholinesterase mechanism



After interacting with receptor, ACh is rapidly broken down by AChE
Choline is taken back into neuron and reused

OP/carbamate MOA

Acetylcholine signaling at synapse



ACh Esterase STOPS signaling process



OP's inhibit ACh Esterase





- Acetylcholine (ACh)
- U ACh Receptor
- ⚡ Signal transmission

- ACh
- U ACh Receptor
- ⚡ Signal transmission
- ★ ACh Esterase

- ACh
- U ACh Receptor
- ⚡ Signal transmission
- ★ ACh Esterase
- ▲ Organophosphate pesticide (OP)

Structure of OPs & carbamates



Carbamate structure

General structure of organophosphate insecticide

X = leaving group

If P is double bonded to S (thion) it must be converted to active (oxon) form (P = O)

Examples of OP insecticides

COMMON NAME	PRODUCT EXAMPLE	CHEMICAL NAME	ESTIMATED FATAL ORAL DOSE (g/70 kg)
<i>Agricultural Insecticides (high toxicity)</i>			
Tetraethyl pyrophosphate	Miller Kilmite 40	Tetraethyl pyrophosphate	0.05
Phorate	Thimet (American Cyanamid)	<i>O,O</i> ,-Diethyl (<i>S</i> -ethylmercaptomethyl) dithiophosphate	0.1
Parathion	Niagara Phoskil Dust	<i>O,O</i> ,-Diethyl- <i>O-p</i> -nitrophenyl phosphorothioate	0.15
Phosdrin	Mevinphos (Shell)	Dimethyl- <i>O</i> -(1-methyl-2-carbomethoxyvinyl) phosphate	0.2
Disulfoton	Disyston	Diethyl- <i>S</i> -2-ethyl-2-mercaptoethyl phosphorodithioate	
<i>Animal Insecticides (intermediate toxicity)</i>			
Coumaphos	Co-Ral Animal Insecticide	Diethyl- <i>O</i> -(3-chloro-4-methyl-7-coumarinyl) phosphorothioate	
Chlorpyrifos (Dursban)	Rid-A-Bug (Kenco)	<i>O,O</i> -Diethyl- <i>O</i> -(3,5,6-trichloro-2-pyridyl) phosphorothioate	
Trichlorfon	Trichlorfon Pour On (Hess & Clark)	Dimethyl trichlorohydroxyethyl phosphonate	
Ronnel	Korlan Livestock Spray (Dow)	<i>O,O</i> -dimethyl- <i>O</i> -(2,4,5-trichlorophenyl) phosphorothioate	
<i>Household Use or Golf Course/Community Spray (low toxicity)</i>			
Diazinon	Security Fire Ant Killer (Woolfolk)	Diethyl- <i>O</i> -(2-isopropyl-4-methyl-6-pyrimidyl) phosphorothioate	25.0
Malathion	Ortho Malathion 50 Insect Spray	Dimethyl- <i>S</i> -(1,2-bis-carboethoxy) ethyl phosphorodithioate	60.0
Vapona (dichlorvos, DDVP)	Shell No-Pest Strip	<i>O,O</i> -Dimethyl- <i>O</i> -2,2-dichlorovinyl phosphate	
Acephate	Chevron Orthene	<i>O</i> , <i>S</i> -Dimethylacetylphosphoramidothioate	

Haddad & Winchester's Clinical Management of Poisoning and Overdose 4th ed, 2007

Group 1—phosphorylcholines

Leaving group: substituted quarternary nitrogen

Echothiophate iodide

Group 2—fluorophosphates

Leaving group: fluoride

Dimefox, sarin, mipafox

Group 3—cyanophosphates, other halophosphates

Leaving group: CN-, SCN-, OCN-, halogen other than fluoride

Tabun

Group 4—multiple constituents

Leaving group:

Dimethoxy

Azinphos-menthyl, bromophos, chlorothion, crotoxyphos, dicapthion, dichlorvos, dicrotophos, dimethoate, fenthion, malathion, mevinphos, parathion-methyl, phosphamidon, temephos, trichlorfon

Diethoxy

Carbophenothion, chlorfenvinphos, chlorpyrifos, coumaphos, demeton, diazinon, dioxathion, disulfoton, ethion, methosfolan, parathion, phorate, phosfolan, TEPP

Other dialkoxy

Isopropyl paraoxon, isopropyl parathion

Diamino

Schradan

Chlorinated and other substituted dialkoxy

Haloxon

Trithioalkyl






Merphos

Triphenyl and substituted triphenyl

Triorthocresyl phosphate (TOCP)

Mixed substituent

Crufomate, cyanofenphos




Classification of OPs

Kinetics largely determined by structure of R-groups

Source: *Goldfrank's Toxicologic Emergencies* 11th edition, 2019

'Aging' of organophosphate



A: OP is bonded to AChE, but bond can be hydrolyzed regenerating the enzyme

B. After 'aging' bond can't be broken - new enzyme must be synthesized → prolonged recovery

Aging T_{1/2} varies greatly from ~ 3 h for dimethoxy OPs (fenthion) to ~ 30 h for diethoxy compounds (parathion)


OP pharmacokinetics

- ▶ Most are lipophilic
- ▶ Well absorbed from lung, skin, GI tract
 - ▶ Onset of effects most rapid with inhalation
 - ▶ Least rapid with dermal absorption
- ▶ Some are metabolized to active compound
- ▶ Most OPs rapidly distribute from serum to tissue and fat
 - ▶ Redistribution from fat and 'aging' can result in prolonged effect

OP/carbamate pathophysiology

- ▶ AChE inhibition → ACh stimulation at muscarinic and nicotinic receptors in CNS, PNS, NMJ
- ▶ Prolonged stimulation at muscarinic receptors → salivation, diaphoresis, bronchorrhea, etc
- ▶ Prolonged stimulation at NMJ nicotinic receptor → initial muscle activity (fasciculations), then desensitization and paralysis
- ▶ OP AChE inhibition is irreversible after aging
- ▶ Carbamates don't age - AChE inhibition is reversible

OP: Acute toxicity



Goldfrank's
Toxicologic
Emergencies 11th
edition, 2019

OP/Carbamate mnemonics

▶ Muscarinic effects (“wet” signs/symptoms)

- ▶ **D** diaphoresis, **d**iarrhea
- ▶ **U** rination
- ▶ **M** miosis
- ▶ **B** bronchorrhea, **b**ronchospasm
- ▶ **B** bradycardia
- ▶ **E** mesis
- ▶ **L** acrimation
- ▶ **S** salivation

▶ Diaphoresis, bronchorrhea, and miosis are most reliable signs



”



OP/Carbamate mnemonics (cont'd)

- ▶ Nicotinic effects
 - ▶ **M** mydriasis
 - ▶ **T** tachycardia
 - ▶ **W** weakness
 - ▶ **Th** tremors, **h**ypertension
 - ▶ **F** fasciculations
- ▶ CNS effects
 - ▶ **C** confusion
 - ▶ **C** coma
 - ▶ **C** convulsions
- ▶ Opposing muscarinic & nicotinic effects seen for some exam findings (HR, pupil size)



Severity of Poisoning

MILD

- Walks & talks
- Headache & dizzy
- Nausea, vomiting, diarrhea
- Abdominal pain
- Sweating
- Salivating
- Cholinesterase ~30%-50% of normal

MODERATE

- Can't walk
- Soft voice
- Muscle fasciculations
- Small pupils
- Cholinesterase ~10%-30% of normal

SEVERE

- Unconscious
- No pupillary reflex
- Fasciculations
- Flaccid paralysis
- Increased bronchial secretions
- Resp failure
- Cholinesterase <10% of normal

Delayed syndromes


▶ Intermediate Syndrome

- ▶ Historically a/w OP toxicity but has been reported with carbamates (1)
- ▶ Weakness 1-4 d after exposure without muscarinic signs/symptoms of cholinergic crisis
 - ▶ Typical patient can't lift head off bed
- ▶ Thought to be from down-regulation of nicotinic ACh receptors at NMJ
- ▶ Treatment is supportive care

1. Indira, *Clin Toxicol* 2013

Delayed syndromes (cont'd)



- ▶ Organophosphate induced delayed peripheral neuropathy (OPIDN)
 - ▶ **Rare** - seen with triaryl (TOCP) & some dialkyl phosphates (chlorpyrifos, mephosfolan, mipafox)
 - ▶ Inhibition of neuropathy target esterase (NTE)
 - ▶ Degeneration of long axons → muscle weakness (LE > UE) and pain 2-3 wks post-exposure or later
 - ▶ Large distal neurons especially vulnerable
 - ▶ May not have had clinical cholinergic toxidrome
 - ▶ Atropine & pralidoxime not effective
 - ▶ Variable recovery over months to years
 - ▶ Very rarely seen with carbamates



Mephosfolan

Jakonovic, *Clin Neurol Neurosurg* 2011

Mipafox



Chlorpyrifos

Other long term OP effects

- ▶ Among pesticide applicators cognitive and mood disturbance a/w long term use of OP & OC insecticides (1)
- ▶ After mistaken indoor application of diazinon a family continued to have cognitive and mood changes 3 y later (2)
- ▶ Mechanism of long-term CNS effects is not well understood

1. Kamel, *Hum Exp Toxicol* 2007
2. Dahlgren *Clin Toxicol* 2004

OP toxicity: Diagnostic tests

- ▶ **RBC cholinesterase**
 - ▶ Better reflection of synaptic inhibition
 - ▶ Regenerates more slowly than neuronal AChE
 - ▶ ↓ in anemia, but can be adjusted for hemoglobin
 - ▶ Send out to reference lab
- ▶ **Plasma cholinesterase (aka pseudocholinesterase)**
 - ▶ Falls first
 - ▶ Recovers rapidly (days)
 - ▶ More daily variation
 - ▶ Affected by other conditions
 - ▶ Liver dysfunction
 - ▶ Malnutrition
 - ▶ Pregnancy
 - ▶ Easier to obtain

If toxicity suspected, treatment is started while tests are pending

Essentials of Cholinesterase Screening

- ▶ **General objectives for ChE screening**
 - ▶ 1) Monitor for exposure (surveillance) and
 - ▶ 2) Establish baseline for diagnosis of poisoning in at risk populations.
 - ▶ Initially >2 months after potential exposure (during winter)
 - ▶ 3) Retest during exposure (planting season)
 - Follow up testing at peak of exposure season
 - Follow up should be same procedure/same lab
 - 20% ↓ in ChE activity from baseline suggests overexposure & need to change in work practices
 - $\geq 30\%$ ↓ in ChE activity - immediate removal from further exposure

<https://oehha.ca.gov/pesticides/california-medical-supervision-program>

Cholinesterase Inhibitor Treatment

- ▶ Airway management as needed
 - ▶ Intubation/mechanical ventilation as needed
 - ▶ Respiratory failure is most common cause of death
- ▶ Decontamination
 - ▶ Protect Providers
 - ▶ Gloves (rubber or nitrile)
 - ▶ Bag clothing
 - ▶ Skin
 - ▶ Triple wash - soap/water
 - ▶ GI decon for intentional ingestion
 - ▶ Gastric aspiration if very early presentation
 - ▶ Activated charcoal unlikely to be helpful



250mm x 300mm

Cholinesterase Inhibitor treatment (cont'd)

▶ Antimuscarinic Agents

▶ Atropine

- ▶ Adults: Bolus 1-2 mg q 2-15 min
 - ▶ Children: 0.02 mg/kg, minimum dose 0.1 mg
- ▶ Double dose if no response in 3-5 min
- ▶ **Titrate to dry pulmonary secretions** & ↑ HR to ≥ 80
 - ▶ Maintenance infusion (~10% reversal dose/hour)

▶ Oximes (for suspected OP)

▶ Pralidoxime (2-PAM, Protopam)

- ▶ 30 mg/kg loading dose over 15-30 min
- ▶ 8-10 mg/kg/h infusion (Children 10-20 mg/kg/h) infusion

▶ Diazepam or other benzodiazepine for seizures

AChE Inhibitor treatment (cont'd 2)



- Initially can use Mark I kit (separate atropine 2 mg & pralidoxime 600 mg autoinjectors)



- Or Duodote (single atropine/pralidoxime 2.1/600 mg autoinjector)
- Poison Center can assist in obtaining kits




Pralidoxime MOA



AChE is restored if aging has not yet occurred
After pralidoxime treatment, AChE can still be re-poisoned by OP released from fat stores
Some OPs respond to pralidoxime better than others

Case 1 Conclusion

- ▶ 39-year-old spraying employer's property
- ▶ In ED BP 136/70, P 87, R 16, T 97.0, O₂ sat 97% on NC oxygen
- ▶ Treated with atropine
- ▶ Plasma cholinesterase 230 U/L (normal 8,000-19,000) or < 3% of normal
- ▶ Pralidoxime started ~ 24 h after exposure & continued for 24 h
- ▶ Discharged, but 2 d later c/o persistent weakness & muscle cramping



Organophosphates declined as a proportion of insecticides used in US, 2000-2012




Figure 3.3. Total Amount of Organophosphate and All Other Insecticide Active Ingredients Usage in the United States in All Market Sectors, 2000–2012

Source: Agricultural Market Research Proprietary Data (2000-2012).
Non-Agricultural Market Research Proprietary Data (2000-2012)
USDA/NASS Quick Stats (http://www.nass.usda.gov/Quick_Stats/)

Source: EPA.gov

Insecticides: Pyrethrins/Pyrethroids

▶ Pyrethrins

- ▶ Naturally occurring
- ▶ Derived from Chrysanthemum
- ▶ Neuronal Na channel activation
- ▶ Rapid breakdown in environment

▶ Pyrethroids

- ▶ Synthetic derivatives
- ▶ Longer persistence
- ▶ More potent



Structures of some pyrethrins and pyrethroids

Permethrin

Used topically for lice, scabies

Widely used to spray for


mosquitoes during West Nile

Virus outbreaks



Most insecticides sold for home use are pyrethroids





Natural Pyrethrins:



Synthetic Type I Pyrethroids



Synthetic Type II Pyrethroids



Pyrethrin/pyrethroid toxicity

- ▶ Neurostimulation by prolonging Na channel opening
- ▶ Much more toxic to insects than humans
- ▶ Absorbed orally & by inhalation (aerosols)
 - ▶ Minimal systemic absorption through skin
 - ▶ Metabolized by CYP enzymes; no bioaccumulation
- ▶ Allergic rxns to pyrethrins (esp if allergic to ragweed)
- ▶ Type I less toxic - **T syndrome** (predominant **tremors**)
- ▶ Type II more toxic to humans - **C/S syndrome** (**choreoathetoid movements/salivation**)
 - ▶ Skin irritation
 - ▶ Paresthesias from local effects on cutaneous nerves
- ▶ CNS ↓, seizure, and lung injury with large ingestions


Pyrethrin/pyrethroid treatment

- ▶ Skin decontamination
- ▶ Supportive care
- ▶ Consider ng tube aspiration if ingested within 1 h
- ▶ Benzodiazepines for tremors or seizures
- ▶ Steroids/ β -agonists as needed for allergic rxn
- ▶ Topical vitamin E oil (α -tocopherol) for cutaneous paresthesias
- ▶ Can resemble OP toxicity (bronchospasm, salivation) but atropine & pralidoxime not helpful

Other insecticides (cont'd)

- ▶ Neonicotinoids (imidacloprid, etc)

- ▶ Partial nACh receptor agonists
 - ▶ Relatively low toxicity in humans
 - ▶ Significant toxicity only with intentional ingestion
 - ▶ Used to treat seeds (corn, soybeans)
 - ▶ Treatment is supportive care




- ▶ Avermectins (abamectin, ivermectin)

- ▶ Applied to vegetables, fruit trees, cotton, rice
- ▶ Derived from *Streptomyces avermitilis*
- ▶ Used for worms & ectoparasites (lice, scabies)
- ▶ Agonist at invertebrate glutamate-gated chloride channels → paralysis in invertebrates



- ▶ Treatment: supportive care



Abamectin

Herbicides

- ▶ Chlorophenoxy herbicides
 - ▶ 2,4-D; 2,4,5-T
- ▶ Bipirydyl herbicides
 - ▶ Paraquat
 - ▶ Diquat
 - ▶ Account for most herbicide deaths
- ▶ Glyphosate
- ▶ Others
- ▶ Severe toxicity usually a/w intentional self-harm attempts
- ▶ In US agricultural sector herbicides account for ~ 80% of total pesticide use (EPA, Feb 2011)

© Original Artist


Reproduction rights obtainable from
www.CartoonStock.com



Chlorophenoxy herbicides


- ▶ Chemical analogs of auxins (a plant growth hormone) → uncontrolled and lethal growth
 - ▶ 1st herbicides - developed in 1940s
- ▶ Mechanism of human toxicity unclear
 - ▶ May interfere with energy production and neurotransmission

2,4-D



(2,4-dichlorophenoxy)acetic acid

2,4,5-T



Agent Orange was a mixture of 2,4-D and 2,4,5-T

Long-term effects thought to be from contaminants (dioxins)

Chlorphenoxy herbicides (cont'd)

- ▶ Most poisonings are from ingestion (poor dermal absorption)
- ▶ Irritating to skin and GI tract
- ▶ N/V, QT prolongation, CNS depression, hyperreflexia with clonus, hypertonia, weakness
- ▶ Consider aspiration of ingested within 1 h
- ▶ Hemodialysis or urinary alkalinization can enhance clearance
- ▶ Supportive care


Bipyridyl Herbicides

▶ Paraquat/diquat

- ▶ Highly toxic
- ▶ Ingestion of 10-20 mL 20% solution lethal
- ▶ Paraquat use restricted in US

▶ Redox cycling

- ▶ Concentrated in lung and kidney
- ▶ Generation of reactive oxygen species
- ▶ Damage to membranes & other cell structures
- ▶ Inflammatory response and fibrosis




2 Cl⁻

Paraquat



Diquat dibromide salt



Bipyridyls: Clinical features

- ▶ Poor dermal absorption
 - ▶ Systemic toxicity usually from ingestion
- ▶ Sx may be delayed with dilute products
- ▶ Caustic to skin and GI mucosa
- ▶ Diquat: Severe burns to GI tract, renal failure, CNS depression, pontine hemorrhage, ARDS
- ▶ Paraquat - GI tract ulceration, renal failure, dyspnea, coma, **pulmonary fibrosis**
 - ▶ Qualitative urine test for screening
 - ▶ If (+) obtain serum level for prognosis


Bipyridyl herbicides: Treatment

- ▶ Skin decontamination
- ▶ GI decontamination if ingested
 - ▶ Activated charcoal or Fuller's earth
- ▶ Hemodialysis or hemoperfusion
 - ▶ Most useful within a few hours of ingestion
- ▶ Avoid O_2 unless $PaO_2 < 50$ mm Hg
- ▶ Pain control
- ▶ Consider specific therapies
 - ▶ Immunosuppression with cyclophosphamide & steroids
 - ▶ Antioxidants (Vitamin C, N-acetylcysteine)



Glyphosate

- ▶ Inhibits amino acid synthesis in plants
- ▶ Mechanism of human toxicity unclear - some likely from surfactants and other additives
 - ▶ Most common herbicide exposure reported to US poison centers
 - ▶ Major toxicity typically from ingestion
 - ▶ Issue of potential cancer risk controversial (banned in some countries)
- ▶ Symptoms
 - ▶ Skin irritation
 - ▶ N/V/D, GI caustic injury
 - ▶ Lung injury (from aspiration)
 - ▶ Acidosis, CV, renal, and CNS toxicity
- ▶ Treatment
 - ▶ Supportive care
 - ▶ Hemodialysis has been performed for severe toxicity (1)





Case 2

- ▶ In Amarillo, TX a man put Al_3P pellets (obtained from a friend) under his mobile home to get rid of mice
 - ▶ Later changed his mind - tried to wash them away with water while family was at home
- ▶ Q: Why was this a bad idea?



Fumigants

- ▶ Small molecules (typically gases or volatile liquids) that diffuse rapidly
- ▶ Phosphine gas (PH₃)
 - ▶ Produced by reaction of Al or Zn phosphide with acid or water
- ▶ Methyl bromide (CH₃Br)
- ▶ Carbon tetrachloride (CCl₄)
- ▶ Dichloropropene
- ▶ Metam sodium



Fumigants: Clinical effects

- ▶ Injuries from spills or entry into fumigated structure prior to ventilation
- ▶ Mucous membrane, skin, and resp irritation; bronchospasm; delayed pulmonary edema
- ▶ Cardiac dysrhythmias
- ▶ Delayed hepatic or renal toxicity
- ▶ Neuro effects (Methyl bromide)
 - ▶ Ataxia, tremor, myoclonus, delirium

Fumigants: Treatment

- ▶ Remove from exposure
 - ▶ SCBA for rescues from confined space
- ▶ Skin decontamination
- ▶ Vomitus may off-gas PH_3 after Zn or Al phosphide ingestion
- ▶ Monitor for delayed pulmonary edema, renal and hepatic dysfunction
- ▶ Supportive care

Case 2 conclusion

- ▶ 4 children died in Amarillo, TX mobile home
 - ▶ Initially thought to be from carbon monoxide
- ▶ Father had placed Al_3P pellets under home
 - ▶ Then tried to wash away using garden hose

Washington Post 1/3/17

Strategies for poisoning prevention

- ▶ Hygienic work practices
 - ▶ Hand washing facilities or towelettes should be available
 - ▶ Facilities for rapid showering/clothing change
 - ▶ Work clothing kept out of living quarters
 - ▶ Triple washing of contaminated clothing (may be insufficient in some cases)
- ▶ Storage of pesticides in original containers
 - ▶ Storage and mixing away from living areas

Poisoning prevention (cont'd)

- ▶ Use of tractors with protective cab
- ▶ Training of pesticide workers
- ▶ Personal protective equipment
- ▶ Plasma and/or RBC cholinesterase monitoring for OP/carbamate-exposed workers
 - ▶ Baseline in advance of exposure
 - ▶ Repeat levels mid- and end of season



References

- ▶ Clifford NJ, Nies AS. Organophosphate poisoning from wearing a laundered uniform previously contaminated with parathion. *JAMA* 1989; 262:2035
- ▶ Dahlgren JG. Health affects of diazinon on a family. *Clin Toxicol* 2004; 42:579
- ▶ Donham KJ, Thelin A. *Agricultural Medicine: Occupational and environmental health for the health professions*, Blackwell 2006
- ▶ Eddleston M. Management of acute organic phosphorus pesticide poisoning. *Lancet* 2008; 371: 597
- ▶ Eddleston M. Pharmacological treatment of organophosphorus insecticide poisoning. *Br J Clin Pharmacol* 2016; 81:462
- ▶ Eddleston M. Novel clinical toxicology and pharmacology of organophosphorus insecticide self-poisoning. *Annu Rev Pharmacol Toxicol* 2019; 59:341-60
- ▶ Eddleston M. Insecticides: Organic phosphorus compounds and carbamates. In *Goldfrank's Toxicologic Emergencies* 11th edition, 2019
- ▶ Environmental Protection Agency, <http://www.epa.gov/pesticides/>
- ▶ Indira M. Incidence, predictors, and outcome of intermediate syndrome in cholinergic poisoning. *Clin Toxicol* 2013; 51:838
- ▶ Holland MG. Insecticides: Organic chlorines, pyrethrins/pyrethroids, insect repellants. *Goldfrank's Toxicologic Emergencies*, 11th edition, 2019

References (cont'd)

- ▶ Howland MA. Antidotes in Depth: Atropine and Pralidoxime. In *Goldfrank's Toxicologic Emergencies* 11th edition, 2019
- ▶ Jokanovic M. Organophosphate induced delayed peripheral neuropathy in man. *Clin Neurol Neurosurg* 2011; 113:7
- ▶ Kamel F. Neurologic symptoms in licensed pesticide applicators in the Agricultural Health Study. *Hum Exp Toxicol* 2007; 26:243
- ▶ King AM, Aaron CA. Organophosphate and carbamate poisoning. *Emerg Med Clin N Am* 2015; 33:133
- ▶ National Pesticide Information Center, Oregon State Univ, 1-800-858-7378 (7:30am-3:30pm PST), <http://npic.orst.edu/>
- ▶ Phua DH. Neonicotinoid insecticides: an emerging cause of acute pesticide poisoning. *Clin Toxicol* 2009; 47:336
- ▶ Proudfoot AT. Aluminum and zinc phosphide poisoning. *Clin Toxicol* 2009; 47:89
- ▶ Roberts DM. Herbicides. *Goldfrank's Toxicologic Emergencies*, 11th ed, 2019
- ▶ Vale JA, Bradberry SM. Organophosphate and carbamate insecticides, in *Critical Care Toxicology* 2nd edition, 2017

Questions?



CARTOONSTOCK

Search ID: pha0533

CARTOONSTOCK

Search ID: pha0533

HARDIN

Thank you!



rkirschner@nebraskamed.com