

Musculoskeletal Diseases in Agriculture

Alan Erickson, MD, M. Ed, FACR, FACP

Associate Professor

Rheumatology and Internal Medicine

Assistant Dean Student Affairs

Nebraska Medicine

UNMC-College of Medicine

2024

Disclosures

- None

Objectives

- Describe common musculoskeletal problems associated with agriculture, and their causes.
- Describe the anatomical causes of agriculturally related musculoskeletal problems, “danger signs”, and appropriate screening examinations.
- Discuss treatment options for a variety of musculoskeletal problems in agriculture.

Introduction

- Agriculture remains a dominate world-wide employer
- Musculoskeletal injuries are the most common of all occupational injuries for farm workers, especially those involved in labor-intensive practices (Fathallah, 2010; Grisso, 2020)
 - Lifting and carrying heavy loads (over 50#)
 - Sustained full body bending (stoop)
 - Highly repetitive hand work
- Ag related deaths and how they are captured for research purposes are also an important source of research (Scott, 2023; Weichelt, 2022)

Introduction

- Musculoskeletal injuries include diseases of the:
 - Bone
 - Joints and supporting structures
 - Nerves
- Common disorders include:
 - Fractures and dislocations
 - Sprains and strains
 - Tendonitis and tenosynovitis
 - Enthesistis and bursitis
 - Arthritis of all types to include traumatic, reactive, infectious, and osteoarthritis

Introduction

- Musculoskeletal injuries are characterized by:
 - Pain and tenderness
 - nociceptive, neurological, and psychological issues all apply
 - Stiffness
 - Edema

Introduction




Varghese, et.al. 2022

- Determining cause and effect of often difficult for both the patient and the health care provider.
 - This often becomes important for worker's compensation claims.
- It is important to keep in mind the frequency of the problem in non-agriculture workers, along with potential confounding factors.
 - Age, race, obesity



Neck


- Neck pain is second to only to LBP as the most common musculoskeletal disorder and is often reported among workers.



Neck

- Cervical Degenerative Disk Disease
 - May be subclinical
 - Can affect nerve roots
 - X-rays may not correlate with symptoms
 - In farmers neck pain can be aggravated by driving tractors and looking to the rear
 - Only in severe cases will there be reflex changes

Neck



Neck

- Warning signs
 - Weight loss, fever, IV drug use
 - Pain that wakes a patient at night
 - Recent infection
 - In cases of trauma, concern for fracture

Neck


- Standard films are indicated for patients with chronic pain or in those with warning signs.
- Early treatment with PT is important
 - Traction, heat, ultrasound
 - NSAID's
 - Steroids, muscle relaxants, etc. are usually not needed for acute syndromes

Lower Back

- The annual incidence of low back pain episodes is approximately 50%
 - More than 10% seek medical attention
- Most patients recover without treatment
- Risk factors
 - Heavy lifting, bending and lifting, vibration, and prolonged sitting in a fixed position (farming)

Lower Back

- Many farmers do not seek medical attention
- Degenerative disk disease
 - Part of the aging process
 - Come to the attention of the medical community because of the activities noted
 - Like with the neck, x-rays may not correlate with symptoms




Lower Back

- Degenerative disk disease
 - May be accompanied by sciatica symptoms
 - Almost half of the population have DDD on MRI
 - 1/3 of individuals may not have symptoms
 - Etiology is unclear but appears to have a hereditary component

Lower Back

- Degenerative disk disease
 - Sciatica, weakness, and numbness are caused by pressure on exiting nerves
 - The onset of symptoms may be gradual or sudden
 - Location of pain in the leg may help locate the point of nerve impingement

Lower Back



Lower Back

- There are other causes of LBP:
 - Referred pain from the abdomen and pelvis
 - Warning sign for more severe problems may include fever, diarrhea, bloody urine, painful urination, night time pain, weight loss
- Other diagnosis may include spinal stenosis, spondylosis, ankylosing spondylitis, and coccygodynia

Lower Back

- Treatment is similar to neck pain and is tailored to the diagnosis
 - Physical therapy
 - NSAID's
 - Muscle relaxants
 - Exercise



Shoulder

- The shoulder is a very movable joint and is important in most daily activities
- Made up of several joints
 - Glenohumoral
 - Acromioclavicular
- Very common injury as it relate to occupational injuries




spectrumwellness.com

Shoulder

- Farming puts many stressors on the shoulder
 - Lifting, pulling, vibratory and repetitive activities
- Because of the stress placed on the joint there may be a higher incidence of OA of the true shoulder joint

Shoulder

- Impingement
 - Related to tendonitis
 - May be related to overuse
 - Often involves the tendons of the rotator cuff (SITS)



Shoulder

a Pain provocation test: painful arc test

Examiner brings patient's shoulder into full abduction.

180°
120°
90°
60°

No pain
Subacromial space
No pain

Positive test result: double pain between 60° and 120° indicates subacromial rotator cuff disease.

b Strength tests

Internal rotation lag test (subscapularis muscle)

Humeral of affected arm is lifted off of back by examiner, and patient is asked to maintain position.

90° flexion

Positive test result: patient is unable to maintain the position.

Subscapularis muscle
Humerus

External rotation lag test (supraspinatus and infraspinatus muscles)

Examiner passively rotates the patient's arm into full external rotation.

90° flexion
90° abduction

Positive test result: patient is unable to maintain a position of full external rotation.

Supraspinatus and infraspinatus muscles
Humerus

c Composite test: external rotation resistance test (deltoid posterior muscle)

90° flexion


Examiner applies pressure proximal to the patient's wrist against external rotation by the patient.

Positive test result: patient experiences either pain or weakness during the movement.

Drop arm test (supraspinatus muscle)

Patient is asked to lower the arm slowly from abduction.

Positive test result: a remarkable drop of the arm accompanied by pain.



Timberlanept.com

Shoulder

- Adhesive capsulitis
 - Also called frozen shoulder
 - May be related to diabetes
 - Treated with aggressive PT
 - Often self limited but can be very disabling

Elbow and Hands

- Epicondylitis
 - Can be either medial (golfers) or lateral (tennis) in location
 - Results from inflammation of the insertion of tendons from the hands around the elbow
 - Tennis elbow is much more common
 - Related to repetitive activity





Elbow and Hands

- Epicondylitis
 - Pain can be localized or can radiate
 - Symptoms are worse with activity
 - Treatment is rest, PT, and splints
 - Injections are to be used judiciously


Elbow and Hands

- De Quervain's Tenosynovitis
 - Tendonitis of the tendons of the wrist and thumb
 - Related to overuse
 - Treated with rest, NSAID's, and splint
 - May require infection
 - DDX: intersection syndrome
- Trigger finger
 - Related to tendonitis of the finger and associated with nodule formation
 - Treated with rest, NSAID's and often injection



Elbow and Hands

- Carpal tunnel syndrome
 - Common disorder associated with hand pain
 - Nerve compression as the median nerve passes through the carpal tunnel




Elbow and Hands

- Carpal tunnel syndrome
 - Has been associated with overuse
 - Also associated with pregnancy, thyroid disease, and inflammatory arthritis such as rheumatoid arthritis
 - In farming may be related to activities that involve vibration, milking, and being female
 - Symptoms of pain and paresthesia of the hand

Elbow and Hands

- Carpal tunnel syndrome
 - Symptoms classically involve 2 ½ fingers and is worse at night
 - Shaking the hand may relieve symptoms
 - Testing and diagnosis
 - Phalen and Tinel's signs
 - Look for signs of motor involvement
 - EMG/NCV



tsebiomedia.com



en.wikipedia.org

Elbow and Hands

- Carpal tunnel syndrome
 - Treatment include rest, NSAID's, splints, injection and/or surgery



Ergonomics

- Farmers have been historically self reliant and will change practices out of necessity
 - Tractors
 - Increased morbidity and mortality issue
 - Issue associated with roll over accidents
- Many tools have been developed to reduce bending and repetitive activities
 - Powered shears

Ergonomics

- Efforts have been made to reduce stooping and awkward body positioning
 - Prone workstations in fields
 - Picking platforms
- Efforts are still being made to push effective ergonomic interventions
 - Costs are a major concern
- There is also ongoing research debating the effectiveness of ergonomics on work-place injuries, disability and death (Jirapongsuwan, 2022)

Conclusion

- Recognize agriculture related musculoskeletal problems and their diagnosis and treatment.
- Identify warning signs for further evaluation
- Be aware of ergonomic research and how it may affect future farming practices

References and Suggested Reading

- Varghese, A., & Panicker, V. V. (2022). Impact of musculoskeletal disorders on various agricultural operations: a systematic review. *Sādhanā*, 47(1), 1-10.
- Fathallah. Musculoskeletal disorders in labor-intensive agriculture. *Applied Ergonomics*, 41 (2010) 738-743
- *Agricultural Medicine, Occupational and Environmental Health for the Health Professions*. Blackwell Publishing. Ed. Donham and Thelin. Chapter 8. 2006.
- Donham, K. J., and Thelin, A. *Agricultural Medicine: Rural Occupational and Environmental Health, Safety, and Prevention*. John Wiley & Sons, 2016.
- Grisso, R. (2020). *Arthritis and Farming*.
- Grisso, R. D., Perumpral, J. V., Ohanehi, D. C., & Ballin, K. (2014). *Preventing Secondary Injuries in Agricultural Workplaces*.

References and Suggested Reading

- Hildebrand, M. W., Brinkley, J., Timmons, S., & Mendez, F. (2019). What occupational and physical therapists know about farmers' health. *Journal of agromedicine*, 24(1), 64-73.
- Seo, M., Kim, H., & Jung, W. (2022). Ergonomic Improvements to Agricultural Harvest Baskets to Reduce the Risk of Musculoskeletal Disorders among Farmers. *International Journal of Environmental Research and Public Health*, 19(17), 10669.
- Scott, E., Weichelt, B., & Lincoln, J. (2023). The future of US agricultural injury surveillance needs collaboration. *Journal of agromedicine*, 28(1), 11-13.
- Weichelt, B., Scott, E., Burke, R., Shutske, J., Gorucu, S., Sanderson, W., ... & Rautiainen, R. (2022). What about the rest of them? Fatal injuries related to production agriculture not captured by the Bureau of Labor Statistics (BLS) Census of Fatal Occupational Injuries (CFOI). *Journal of agromedicine*, 27(1), 35-40.
- Jirapongsuwan, A., Klainin-Yobas, P., Songkham, W., Somboon, S., Pumsopa, N., & Bhatarasakoon, P. (2023). The effectiveness of ergonomic intervention for preventing work-related musculoskeletal disorders in agricultural workers: A systematic review protocol. *Plos one*, 18(7), e0288131.